### Material: F24.05/7

## FLEXONAL® VR 6200 SIL A (ALL TYPES)

Version: 2.7 (GB)

### Date of print: 26.05.2021

Date of last alteration: 24.08.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

#### Commercial product name:

FLEXONAL® VR 6200 SIL A (ALL TYPES)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation: Industrial. Raw material for: elastomer products .

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax: Bachmann Kunststoff Technologien GmbH Rudolf-Diesel-Str. 2 D 63322 Rödermark +49 6074 94394 +49 6074 98544

Information about the Safety Data Sheet:

Telephone Telefax eMail +49 6074 94394 +49 6074 98544 service@bktgermany.com

+49 6131 19240

### 1.4 Emergency telephone number

Emergency Information:

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture.

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008: No labeling according to GHS required.

_	Code	Additional Labelling
	EUH210	Safety data sheet available on request.

### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

not applicable

### 3.2 Mixtures

### 3.2.1 Chemical characteristics

Polydimethylsiloxane with vinyl groups and auxiliary

### 3.2.2 Hazardous ingredients

This material does not contain any ingredients above the permitted limit(s).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq 0.1\%$ .

### **SECTION 4: First aid measures**

BACHMANN Kunststoff Technologien GmbH



### FLEXONAL® VR 6200 SIL A (ALL TYPES)

Version: 2.7 (GB)

Date of print: 26.05.2021

#### 4.1 Description of first aid measures

### General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

### After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

#### After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

### After inhalation:

Provide fresh air.

### After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

### 4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media:

alcohol-resistant foam, carbon dioxide, water mist, sprinkler system, sand, extinguishing powder.

### Extinguishing media which must not be used for safety reasons:

water jet .

### 5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

### 5.3 Advice for firefighters

### Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

### 6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

### 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

Material: F24.05/7

### FLEXONAL® VR 6200 SIL A (ALL TYPES)

Date of print: 26.05.2021

Date of last alteration: 24.08.2020

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Precautions for safe handling:

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

### Precautions against fire and explosion:

Observe the general rules for fire prevention.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Conditions for storage rooms and vessels:** Observe local/state/federal regulations.

### Advice for storage of incompatible materials:

Observe local/state/federal regulations.

### Further information for storage:

Store in a dry and cool place.

#### Maximum temperature allowed during storage and transportation: 30 °C

### 7.3 Specific end use(s)

No data available.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Maximum airborne concentrations at the workplace: not applicable

### 8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

### General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat, drink or smoke when handling.

### Personal protection equipment:

#### **Respiratory protection**

No personal respiratory protective equipment normally required.

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Suitable respiratory equipment: Filtering half-face mask, according to acknowledged standards such as EN 149. Recommended Filter type: FFP1 or equivalent filter, according to acknowledged standards such as EN 149

Observe the equipment manufacturer's information and wear time limits for respirators.

#### Eye protection


Recommendation: protective goggles .

### Hand protection

Use of protective gloves is recommended when handling the material.

Recommended glove types: Protective gloves made of nitrile rubber thickness of the material: > 0,1 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber thickness of the material: > 0,3 mm Breakthrough time: > 480 min



ialei idi. F24.05/1

#### Page: 4/8

## Safety Data Sheet (1907/2006/EC)

Material:	F24	05/7
material.	1 6 7	

Version: 2.7 (GB)

## FLEXONAL® VR 6200 SIL A (ALL TYPES)

Date of print: 26.05.2021

Date of last alteration: 24.08.2020

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

#### 8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

#### 8.3 Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

### SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical prop	erties	
	Property:	Value:	Method:
	Appearance		
	Physical state	liquid	
	Colour	colourless dark	
	Odour		
	Odour	odourless	
	Odour limit		
	Odour limit	no data available	
	pH-Value		
	pH-Value:	not applicable	
	Melting point/freezing point		
		not applicable	
	Melting point / melting range	not applicable	
	Initial boiling point and boiling range		
	Boiling point / boiling range	not applicable	
	Flash point		(100 0-00)
	_Flash point	> 350 °C	(ISO 2592)
	Evaporation rate		
	Evaporation rate	no data available	
	Upper/lower flammability or explosive limits		
	Lower explosion limit (LEL)	not applicable	
	Vapour pressure		
	Vapour pressure	not applicable	
	Solubility(ies)		
	Water solubility / miscibility	virtually insoluble	
	Vapour density		
	Relative gas/vapour density:	No data known	
	Relative Density		
	Relative Density:	1 10 - 1 15	
		(Water / 4 °C = 1,00)	
	Density	(Water / 4  C = 1,00)	
	Partition coefficient: n-octanol/water	1,10 - 1,15 g/cm²	
		No. data lucasum	
	Partition coefficient: n-octanol/water	No data known.	
	Auto-ignition temperature		(
I	Ignition temperature	> 450 °C	(not specified)
	Decomposition temperature		
	Thermal decomposition	> 250 °C	
	Viscosity		
	Viscosity (dynamic)	15000 - 35000 mPa.s	
	Molecular mass		
	Molecular mass	not applicable	
9.2	Other information		
	No data available.		

### SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions



### Material: F24.05/7

Version: 2.7 (GB)

## FLEXONAL® VR 6200 SIL A (ALL TYPES)

**BACHMANN** Kunststoff Technologien GmbH

Date of print: 26.05.2021

Date of last alteration: 24.08.2020

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

### 11.1.1 Acute toxicity

### Product details:

Route of exposure	Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	Rat	Conclusion by
dermal	LD50: > 2000 mg/kg	Rat	analogy Conclusion by
uermai	LD30. > 2000 mg/kg	Nat	analogy

### 11.1.2 Skin corrosion/irritation

### Product details:

Result/Effect	Species/Test system	Source
No skin irritation	Rabbit	Conclusion by
		analogy

### 11.1.3 Serious eye damage / eye irritation

### Product details:

Result/Effect	Species/Test system	Source
No eye irritation	Rabbit	Conclusion by
		analogy

### 11.1.4 Respiratory or skin sensitization

### Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	Does not cause skin sensitisation.	Guinea pig; Buehler Test	Conclusion by
			analogy
			OECD 406

### 11.1.5 Germ cell mutagenicity

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.6 Carcinogenicity

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.7 Reproductive toxicity

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### Material: F24.05/7

## FLEXONAL® VR 6200 SIL A (ALL TYPES)

Version: 2.7 (GB)

Date of print: 26.05.2021

Date of last alteration: 24.08.2020

### 11.1.8 Specific target organ toxicity (single exposure)

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.9 Specific target organ toxicity (repeated exposure)

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.10 Aspiration hazard

### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### SECTION 12: Ecological information

### 12.1 Toxicity

### Assessment:

Based on available data no effects on aquatic organisms that are relevant for classification must be expected for the product up to its limits of water solubility. According to current knowledge adverse effects on water purification plants are not expected.

### 12.2 Persistence and degradability

### Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

### 12.3 Bioaccumulative potential

### Assessment:

Polymer component: Bioaccumulation is not expected to occur.

### 12.4 Mobility in soil

#### Assessment:

Silicone content: Insoluble in water.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

none known

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

### 13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

### 13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

#### 13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.



Material: F24.05/7

### FLEXONAL® VR 6200 SIL A (ALL TYPES)

Version: 2.7 (GB)

Date of print: 26.05.2021

Date of last alteration: 24.08.2020

### **SECTION 14: Transport information**

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

### Road ADR:

**Railway RID:** 

Valuation ..... Not regulated for transport

Valuation ..... Not regulated for transport

Transport by sea IMDG-Code:

Valuation ..... Not regulated for transport

Air transport ICAO-TI/IATA-DGR: Valuation ...... Not regulated for transport

### 14.5 Environmental hazards

Hazardous to the environment: no

### 14.6 Special precautions for user

Relevant information in other sections has to be considered.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

# Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

Not applicable

### **Relevant regulations:**

SI 2002/1689: CHIP Regulations 2002
SI 2002/2677: COSHH Regulations 2002
SI 1999/3242: Management of Health & Safety at Work Regulations 1999
Health & Safety at Work Act 1974
SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.
Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

### Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

#### 15.2 Chemical safety assessment

Due to the results of the chemical safety assessment, exposure scenarios and identified uses are not of relevance for this safety data sheet.

### 15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Japan:	<b>ENCS</b> (Handbook of Existing and New Chemical Substances):
•	This product is listed in, or complies with, the substance inventory.
Australia:	AICS (Australian Inventory of Chemical Substances):
	This product is listed in, or complies with, the substance inventory.
China:	<b>IECSC</b> (Inventory of Existing Chemical Substances in China):
	This product is listed in, or complies with, the substance inventory.
Canada:	DSL (Domestic Substance List):
	This product is listed in, or complies with, the substance inventory.

#### Version: 2.7 (GB) Date of print: 26.05.2021 Date of last alteration: 24.08.2020 This product is listed in, or complies with, the substance inventory. United States of America (USA) .....: **TSCA** (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the substance inventory. TCSI (Taiwan Chemical Substance Inventory): Taiwan.....: This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation. European Economic Area (EEA) .....: REACH (Regulation (EC) No 1907/2006): General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA

South Korea (Republic of Korea).....: AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

### SECTION 16: Other information

### 16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

by customers or other downstream users must be fulfilled by the latter.

Please approach your regular BKT contact for more detailed information.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

### 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -

Material: F24.05/7

## FLEXONAL® VR 6200 SIL A (ALL TYPES)

